CLINICA CHIMICA ACTA
Vol. 36 (1972)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 36 (1972)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief: C. P. Stewart, Edinburgh
Associate Editor: S. C. Frazer, Aberdeen

Regional Editors:
for the Americas - M. Rubin, Washington, D.C.
for the British Commonwealth - R. Gaddie, Birmingham
for all other territories, including Europe - E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1972 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol.36 (1972)

AUTHOR INDEX

ABRAHAM, R. see GÖPFFARTH, R. 303
ADAM, J., DZÚRIC, R. VALOVICOVÁ, E.
(Ninhydrin-positive substances in serum and urine of patients with chronic uremia) 241
ANTICH, J. see SABATER, J. 279
ATANASOV, N. A., GIKOV, D. G.
(Disc electrophoresis of prostatic fluid. Relative mobility and molecular weight of some enzymes and proteins). . . . 213
BADINAND, A. see VALLON, J. J. 397
BALLINGER, W. F. see MARGRAF, H. W. 566
BANDINELLI, R. see GASBARRO, L. . . . 275
BARTON, W., BROWN, P., CLAMP, J. R.
(The carbohydrate content of mucosal biopsies) 262
BAUM, G., WARD, F. B., YAVERBAUM, S.
(Kinetic analysis of cholinesterase using a choline ester selective electrode). . . 405
BERENSON, G. S., SRINIVASAN, S. R., LOPEZ-S., A., RADHAKRISHNAMURTHY, B., PARGAONKAR, P. S., DEUPREE, R. H.
(Clinical application of an indirect method for quantitating serum lipoproteins) 175
BEREZIAT, G. see PICARD, J. 247
BERGERMAN, J., BLETHEN, S.
(Determination of alkaline phosphatase isoenzymes) 493
BICHON, C. see VALLON, J. J.. 397
BIGGS, J. D. see WALLACE, J. E. 85
BLACKMORE, D. J. see PHILLIPS, A. P. . 251
BLETHEN, S. see BERGERMAN, J. 493
BLUM, K. see WALLACE, J. E. 85
BOGDANIKOWA, B., GRABOWSKI, R.
(Serum proteins present in edema fluids) 351
BOHUON, C. see COMOY, E. 207
BRIXOVÁ, E., DZÚRIKOVÁ, V.
(Determination of glycogen, lipids and proteins in hepatic needle biopsy) . . . 543
BROMBACHER, P. J., GIJZEN, A. H. J., SOONS, M. P. J.
(A systematic investigation on the assay of vitamin B_{12} in serum by radio-isotope dilution) 389
BROSNAN, E. A. see WILSON, D. M. . . . 260
BROWN, W. see BARTON, W. 262
BUNDSCHU, H. D. see GUPTA, D. 479
BURKE, V. see GRACEY, M.. 555
BUUS, O. see NIELSEN, H. G. 133
CAPUTO, M. J. see HOSTY T. A. 579
CESKA, M.
(A comparative α-amylase study using an agar medium) 419
CESKA, M.
(Hydrolysis of a water-insoluble substrate incorporated into solidified medium by the enzyme α-amylase contained in normal human blood, serum and plasma) 453
CESKA, M.
(Hydrolysis of a water insoluble substrate incorporated into solidified agar medium by enzyme α-amylase contained in serum and urine of patients suffering from acute pancreatitis) . . . 463
CHIGA, M., BREWER, G. J., LOPEZ-CORELLA, E., NOELKEN, M. E.
(Electrophoresis of serum in dodecylsulfate–polyacrylamide gel and its comparison with sedimentation velocity techniques) 574
CHRISTOPHE, A. see MATTHYS, F. 341
CLAMP, J. R. see BARTON, W. 262
CLEMENA, G. C. see HARRISON, W. W. . 485
COMOY, E., BOHUON, C.
(Détermination de l'acide homoprotocatéchique (HPA) urinaire par une méthode radio-isotopique) 207
COOK, J. G. H. see SHARP, P.. 93
COURI, D. see HETLAND, L. B. 473
DAM, J. VAN see TRIP, J. A. J. 561
DERBY, G. see GUISARD, D. 281
DEGAND, P. see LAMBLIN, G. 329
DEGAND, P. see ROUSSEL, P. 315
DEUPREE, R. H. see BERENSON, G. S. . . 175
DONABEDIAN, R. K., LEVINE, R. A., SELIGSON, D.
(Micro-electrolytic iodination of polypeptide hormones for radio-immunoassay) 517
DZÚRIK, R. see ADAM, J. 241
DZÚRIKOVÁ, V. see BRIXOVÁ, E. 543
EIJK, H. G. VAN, see WAGEMAKER, G.. . 357
EMERY, A. E. H. see KING, B. 267
ERAZÍMOVÁ, J. see VIDLÁKOVÁ, M. . . . 61
FERRE, C. see SABATER, J. 279

FINLAYSON, J. S., MORTON, R. O.
(Gel electrophoresis for assessing fibrin cross-linking: a precaution) 254
FILLAT, M. see LAMBLIN, G. 329
FISCHER, E.
(Studies on the abnormal high binding capacity of blood for vitamin B_{12} in chronic myeloid leukemia) 409
FRAZER, A., SECUNDA, S. K., MENDELS, J.
(A method for the determination of sodium, potassium, magnesium and lithium concentrations in erythrocytes . 499
GARDNER-THORPE, C., PARSONAGE, M. J., SMETHURST, P. F., TOOTHILL, C.
(A comprehensive gas chromatographic scheme for the estimation of antiepileptic drugs) 213
GASBARRO, L., BANDINELLI, R., TOMASSINI, G.
(A new unified Biuret reagent stabilized with EDTA) 275
GIJZEN, A. H. J. see BROMBACHER, P. J. . 389
GIKOV, D. G. see ATANASOV, N. A. 213
GJESSING, L. R. see TAKAHASHI, S. 369
GONAND, J. P. see GUISARD, D 281
GÖPFFARTH, R., ABRAHAM, R.
(Untersuchuagen über die Entstehung der Serum-Amino Peptidase-(Oxytocinase-) Aktivität in der Schwangerschaft). 303
GRABOWSKI, R. see BOGDANIKOWA, B. . . 351
GRACEY, M., BURKE, V., STORRIE, M., OSHIN, A.
(Dissociation of intestinal active sugar transport from $Na^+ + K^+$)ATPase activity) 555
GREGOROVÁ, M. see HILGERTOVÁ, J. . . . 511
GUISARD, D., GONAND, J. P., DERBY, G.
(Nouvelle methode pour la determination automatique simultanée et continué de la glycemie, la pyruvicemie et la lactacidemie) 281
GUPTA, D., BUNDSCHU, H. D.
(Testosterone and its binding in the plasma of male subjects with chronic renal failure) 479
HAMMER, F. E. see MARTINEK, R. G. . . . 75
HARRISON, W. W., CLEMENA, G. C.
(Survey analysis of trace elements in human fingernails by spark source mass spectrometry) 485
HARTEMANN, E. see LAMBLIN, G. 329
HASCHEN, R. J. see PETERS, J. E. 289
HAVEZ, R. see LAMBLIN, G. 329
HAVEZ, R. see ROUSSEL, P. 315
HEMMINGSEN, L.
(A simple and rapid method for quantitative determination of protein in urine) 185
HERZ, F., KAPLAN, E., SCHEYE, E. S.
(Red cell acetylcholinesterase deficiency in ABO hemolytic disease of the newborn) 537
HETLAND, L. B., KNOWLTON, D. A., COURI, D.
(A method for the detection of drugs at therapeutic dosages in human urine using adsorption column chromatography and thin layer chromatography) . . 473
HILGERTOVÁ, J., STRAKOVÁ, M., VRBOVÁ, H., GREGOROVÁ, I., SONKA, J., JOSÍFKO, M.
(Seasonal variation of human erythrocyte glucose-6-phosphate dehydrogenase activity in relation to temperature and dehydroepiandrosterone excretion) . . 511
HILL, H. D. JR, SUMMER, K. G., NEWTON, D. A.
(An automated fluorometric procedure for histidine in blood) 105
HODGKINSON, A., WILLIAMS, A.
(An improved colorimetric procedure for urine oxalate) 127
HOHENHAUER, L. see REINKEN, L. . . . 270
HOLLENBECK, M. see HOSTY, T. A. . . . 579
HORKÝ, J. see VIDLÁKOVÁ, M. 61
HOSTY, T. A., CAPUTO, M. J., HOLLENBECK, M.
(Bisalbuminemia associated with dye binding defect) 579
HOWELL, R. R. see THOMAS, G. H. . . . 99
HRKAL, Z. see TICHÝ, M. 363
HRNCIR, Z. see TICHÝ, M. 363
ISAACS, A.
(The influence of malaria and the Hb S gene on Hb A_2 synthesis) 27
ITO, T., NIWA, T., MATSUI, E.
(Fibrinolytic activity in renal disease) . 145
JACOBS, S. L. see MARTINEK, R. G. . . . 75
JOSÍFKO, M. see HILGERTOVÁ, J. 511
JUNG, K.
(Ein Farbtest zur Bestimmung der Glutamatdehydrogenase-Aktivität im Serum) 231
KAPLAN, E. see HERZ, F. 537
KÄRKKÄINEN, J. see SEPPÄLÄ, P. O. . . 549
KEANE, P. M. see WALKER, W. H. C. . . 119
KHAFAGI, E. Z. I.
(Estimation of the level of properdin in normal adult human and in bilharziasis) 287
KING, B. SPIKESMAN, A., EMERY, A. E. H.
(The effect of pregnancy on serum levels of creatine kinase) 267
KNOWLTON, D. A., see HETLAND, L. B. . 473
KONTTINEN, A. see SOMER, H. 531
KOSTER, J. F., STAAL, G. E. J., NIERMEYER, M. F.
(Pyruvate kinase in cultivated amniotic fluid cells) 572
KUNZE, D., OLTHOFF, D.
(Acylation of lysolecithin with long-chain fatty acids by normal and dystrophic human muscle) 564
LAMBLIN, G., DEGAND, P., ROUSSEL, P., HAVEZ, R., HARTEMANN, E., FILLAT, M.)
(Les glycopeptides du mucus bronchique fibrilliare dans la mucoviscidose). . . 329
LAMBLIN, G. see ROUSSEL, P. 315
LAURELL, S., NILSÉN, R., NORDÉN, Å.

(Incorporation of phytanic and linoleic acid into plasma lipids in Refsum's disease) 169
LECLERQ, R., TÄLJEDAL, I.-B., WOLD, S.
(Evaluation of radioisotope data in steroid assays based on competitive protein binding 254
LEHTONEN, A. see SEPPÄLÄ, P. O. . . . 549
LEIJNSE, B. see WAGEMAKER, G. 357
LEVER, M. see WILSON, D. M. 260
LINDGREN, F. T. see LOSSOW, W. J. . . 33
LINDY, S. see UITTO, J. 43
LOMBARTS, A. J. P. F., PETERS, H. J.
(Routine determinations of serum pepsinogen) 185
LOPEZ-S., A. see BERENSON, G. S. . . . 175
LOSSOW, W. J., LINDGREN, F. T., WEIZEL, A., WOOD, P. D.
(A study of a type V hyperlipoproteinemic patient) 33
MADSEN, A.
(Creatine phosphokinase isoenzymes in human tissue with special reference to brain extract) 17
MÄKISARA, P. see SEPPÄLÄ, P. O. . . . 549
MARGRAF, H. W., WISE, L., BALLINGER, W. F.
(Photonometric correction in the determination of urinary 17-ketosteroids). . 566
MARTINEK, R. G., JACOBS, S. L., HAMMER, F. E.
(Spectrophotometric standardization of enzyme assays) 75
MATSUI, E. see ITO, T. 145
MATTHYS, F., CHRISTOPHE A., VERDONK G.
(A combined thin layer-gas chromatographic method for the analysis of fatty acid-containing stool fractions). . . . 341
MENDELS, J. see FRAZER, A. 499
MESSERSCHMIDT, H. J. M., SEDEE, P. D. J. W.
(Lipid screening and lipoprotein electrophoresis by cellogel). 51
MITCHELL, W. D., MURCHISON, L. E.
(The effect of clofibrate on serum and faecal lipids) 153
MORTON, R. O. see FINLAYSON, J. S. . . 254
MURAKAMI, M. see NOTO, M. 163
MURCHISON, L. E., see MITCHELL, W. D. 153
NAGAMINE, M.
(Lactate dehydrogenase isoenzymes linked to immunoglobulin A in two cases) 139
NEWTON, D. A. see HILL, H. D. 105
NIELSEN, H. G., BUUS, O., WEEKE, B.
(A rapid determination of thyroxine-binding-globulin in human serum by means of the Laurell rocket immunoelectrophoresis) 133
NILSÉN, R. see LAURELL, S. 169
NIWA, T. see ITO, T. 145
NORDÉN, Å. see LAURELL, S. 169
NOTO, M., see TAKEDA, R. 163
OLTHOFF, D. see KUNZE, D. 564
ORTNER, H. M. see SCHREIBER, B. E. . . 379
OSHIN, A. see GRACEY, M. 555
PALO, J., SAVOLAINEN, H.
(Studies on serum and urinary glycopeptides and glycosaminoglycans in aspartylglucosaminuria) 431
PARGAONKAR, P. S. see BERENSON, G. S. . 175
PETERS, H. J. see LOMBARTS, A. J. P. F. 185
PETERS, J. E., SCHNEIDER, I., HASCHEN, R. J.
(Bestimmung der L-alanyl-peptid-hydrolase (Alanin-Aminopeptidase, Aminosäure-arylamidase)im menslichen Harn 289
PHILLIPS, A. P., BLACKMORE, D. J.
(Regression analysis of serum protein levels) 251
PICARD, J., VEISSIERE, D., VOYER, F., BEREZIAT, G.
(Composition en acides gras des phospholipides dans les lipoproteines seriques anormales de la cholostase) 247
PINK, P. J. F. see SHARP, P. 93
PLACER, Z. see VIDLÁKOVÁ, M. 61
RADHAKRISHNAMURTHY, B. see BERENSON, G. S. 175
RAPP, W.
(The quantification of an acid stable esterase in human gastric juice by single linear immunodiffusion) 5
REINKEN, L., HOHENHAUER, L., ZIEGLER, E. E.
(Activity of red cell glutamic oxalacetic transaminase in epileptic children under antiepileptic treatment) 270
RILEY, C. see SHARP, P. 93
RINGELHAHN, B.
(A simple laboratory procedure for the recognition of A (African type) G-6PD deficiency in acute haemolytic crisis). . 272
ROMSLO, I.
(A simple method of preserving serum-OCT-activity) 262
ROUSSEL, P. see LAMBLIN, G. 329
ROUSSEL, P., LAMBLIN, G., DEGAND, P., HAVEZ, R.
(Isolement des mucines bronchique secretées au cours de la mucoviscidose) . 315
ROWE, D. S. et al.
(Measurements of concentrations of human serum immunoglobulins) 276
SABATER, J., FERRE, C., ANTICH, J.
(Abnormal levels of aspartic acid, serine and cystine in the plasma in three cases of Rubinstein Taybi's syndrome) . . . 279
SABATER, J., VILLALBA, M.
(Creatine phosphokinase (CPK) levels in umbilical cord blood) 201
SAVOLAINEN, H. see PALO, J. 431
SCHEYE, E. S. see HERZ, F. 537
SCHNEIDER, I. see PETERS, J. E. 289
SCHREIBER, B. E., ORTNER, H. M., SPITZY, H.
(Chemische Bestimmung von Trijodthyronin in Blutserum) 379

SECUNDA, S. K. see FRAZER, A. 499
SEDEE, P. D. J. W. see MESSERSCHMIDT, H. J. M. 51
SEPPÄLÄ, P. O., KÄRKKÄINEN, J., LEHTONEN, A., MÄKISARA, P.
(Chondroitin sulphate in the normal and rheumatoid synovial fluid) 549
SHARP, P., RILEY, C., COOK, J. G. H., PINK, P. J. F.
(Effect of two sulphonylureas on glucose determinations by enzymic methods) . 93
SMITH, P. D., STITCH, S. R.
(A rapid semi-automated method for the determination of urinary oestriol in late pregnancy by gas-liquid chromatography) 439
SOMER, H., KONTTINEN, A.
(A method allowing the quantitation of serum creatine kinase isoenzymes) . . . 531
ŠONKA, J. see HILGERTOVÁ, J. 511
SOONS, M. P. J. see BROMBACHER, P. J. . . 389
SPIKESMAN, A., see KING, B. 267
SPITZY, H. see SCHREIBER, B. E. 379
SRINIVASAN, S. R. see BERENSON, G. S. . . 175
STILLWELL, A. see WILSON, D. M. 269
STITCH, S. R. see SMITH, P. D. 439
STORRIE, M. see GRACEY, M. 555
STRAKOVÁ, M. see HILGERTOVÁ, J. . . . 511
STUBER, A.
(Screening tests and chromatography for the detection of inborn errors of metabolism) 309
SUMMER, G. K. see HILL, H. D. JR . . . 105
TAKAHASHI, S., GJESSING, L. R.
(A fluorometric method combined with thin layer chromatography for the determination of norepinephrine, epinephrine and dopamine in human urine) . 369
TAKEDA, R., NOTO, M., MURAKAMI, M.
(Radiogas chromatographic analysis of sulfoconjugates of C-21-corticosteroid-metabolites in human urine) 163
TÄLJEDAL, I.-B. see LECLERQ, R. 254
THOMAS, G. H., HOWELL, R. R.
(Arylsulfatase A activity in human urine: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy) 99
TICHÝ, M., HRNCIR, Z., HRKAL, Z.
(The properties of IgM-L pyroglobulin) . 363
TOMASSINI, G. see GASBARRO, L. 275
TOWNSEND, J. see WALKER, W. H. C. . . 119
TRIP, J. A. J., DAM, J. VAN
(Ceruloplasmin crystals: another variant) 561
TURTO, H. see UITTO, J. 43
UITTO, J., TURTO, H., LINDY, S. . . . .
(Assay of lactate dehydrogenase in human skin: total activity and isoenzyme composition) 43
UPSHALL, D. G., WAILLING, D. G.
(The determination of LSD in human plasma following oral administration . . 67
UTERMAN, G.
(Disc-electrophoretic patterns of human serum high density lipoproteins) . . . 521
VALLON, J. J., BADINAND, A., BICHON, C.
(Isolement chromatographique sur Sephadex G-10 des metanephrines et des melanogènes des urines) 397
VALOVICOVÁ, E. see ADAM, J. 241
VEISSIERE, D. see PICARD, J. 247
VERDONK, G. see MATTHYS, F. 341
VIDLÁKOVÁ, M., ERAZIMOVÁ, J., HORKÝ, J., PLACER, Z.
(Relationship of serum antioxidative activity to tocopherol and serum inhibitor of lipid peroxidation) 61
VILLALBA, M. see SABATER, J. 201
VOYER, F. see PICARD, J. 247
VRBOVÁ, H. see HILGERTOVÁ, J. 511
WAGEMAKER, G., EIJK, H. G. VAN, LEIJNSE, B.
(A sensitive bio-assay for the determination of erythropoietin. A modification of the post-hypoxic polycythemic mice assay) 357
WAILLING, D. G. see UPSHALL, D. G. . . . 67
WAL, G. VAN DER
(A modified method for the determination of total iron binding capacity) . . 570
WALKER, W. H. C., TOWNSEND, J., KEANE, P. M.
(Analog device for curve regeneration in continuous flow analysis) 119
WALLACE, J. E., BIGGS, J. D., BLUM, K.
(Gas-liquid and thin-layer chromatographic determination of morphine in biologic specimens) 85
WARD, F. B. see BAUM, G. 405
WEEKE, B. see NIELSEN, H. G. 133
WEIZEL, A. see LOSSOW, W. J. 33
WETTER, O.
(Specific and unspecific recombination of myeloma polypeptide chains) . . . 284
WILLIAMS, A. see HODGKINSON, A. . . . 127
WILSON, D. M., LEVER, M., BROSNAN, E. A., STILLWELL, A.
(A simplified tetracycline assay) . . . 260
WILSON, R. G.
(The activities of some acid hydrolases in the skin of patients with cystic fibrosis of the pancreas) 113
WILSON, R. G.
(Glycosaminoglycans in the skin of patients with cystic fibrosis of the pancreas) 185
WISE, L. see MARGRAF, H. W. 566
WOLD, S. see LECLERQ, R. 254
WOOD, P. D. see LOSSOW, W. J. 33
YAVERBAUM, S. see BAUM, G. 405
ZIEGLER, E. E. see REINKEN, L. 270

CLINICA CHIMICA ACTA Vol. 36 (1972)

SUBJECT INDEX

A⁻ (African type) G-6PD deficiency, in acute haemolytic crisis, a simple laboratory procedure for the recognition (RINGELHAHN) 272

Acid, hydrolases, activities in the skin of patients with cystic fibrosis of the pancreas (WILSON) 113

—, stable esterase, quantification in human gastric juice by single linear immunodiffusion (RAPP) 5

Acute haemolytic crisis, a simple laboratory procedure for the recognition of A⁻ (African type) G-6PD deficiency (RINGELHAHN) 272

Acylation of lysolecithin with long-chain fatty acids by normal and dystrophic human muscle (KUNZE, OLTHOFF) . . 561

Adsorption column chromatography, and thin-layer chromatography, for a method for the detection of drugs at therapeutic dosages in human urine (HETLAND, KNOWLTON, COURI) . . . 473

Agar medium, for a comparative α-amylase study (CESKA) 419

Alanyl-peptide hydrolase, determination in urine (PETERS, SCHNEIDER, HASCHEN) 289

Albumin dye binding defect, associated with bisalbuminemia (HOSTY, CAPUTO, HOLLENBECK) 579

Alkaline phosphatase isoenzymes, determination (BERGERMAN, BLETHEN) . . 493

Aminopeptidase (oxytocinase), origin of activity in serum during pregnancy (GÖPFFARTH, ABRAHAM) 303

Amniotic fluid cells, cultivated, pyruvate kinase (KOSTER, STAAL, NIERMEYER) . 572

α-Amylase, comparative study using an agar medium (CESKA) 419

— contained in human blood, serum and plasma for hydrolysis of a water-insoluble substrate incorporated into solidified medium (CESKA) 453

—, —, in serum and urine of patients suffering from acute pancreatitis for hydrolysis of a water-insoluble substrate incorporated into solidifid agar medium (CESKA) 463

Analog device, for curve regeneration in continuous flow analysis (WALKER, TOWNSEND, KEANE) 119

Antiepileptic drugs, estimation, a comprehensive gas chromatographic scheme (GARDNER-THORPE, PARSONAGE, SMETHURST, TOOTHILL) 223

Antioxidative activity, serum, relationship to tocopherol and serum inhibitor of lipid peroxidation (VIDLÁKOVÁ, ERAZÍMOVÁ, HORKÝ, PLACER) 61

Arylsulphatase A activity, in human urine: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy (THOMAS, HOWELL) 99

Aspartic acid, serine, cystine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (SABATER, FERRE, ANTICH) 279

Aspartylglucosaminuria, studies on serum and urinary glycopeptides and glycosaminoglycans (PALO, SAVOLAINEN) . . 431

Automated fluorometric procedure, for histidine in blood (HILL, SUMMER, NEWTON) 105

Bilharziasis, and normal humans, the estimation of the level of properdin (KHAFAGI) 287

Bio-assay for the determination of erythropoietin. A modification of the post-hypoxic polycythemic mice assay (WAGEMAKER, VAN EIJK, LEIJNSE) . 357

Bisalbuminemia, associated with albumin dye binding defect (HOSTY, CAPUTO, HOLLENBECK) 579

Biuret reagent, new unified, stabilized with EDTA (GASBARRO, BANDINELLI, TOMASSINI) 275

Blood, histidine, automated fluorometric procedure (HILL, SUMMER, NEWTON) . 105

—, serum, chemical determination of triiodothyronine (SCHREIBER, ORTNER, SPITZY) 379

—, —, plasma, human, containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (CESKA) 453

—, studies on abnormal high binding capacity for vitamin B_{12} in chronic myeloid leukemia (FISCHER) 409

—, umbilical cord, CPK levels (SABATER,

VILLALBA) 201
Brain extract, creatine phosphokinase isoenzymes (MADSEN) 17
Bronchial mns, secretucied in cystic fibrosis, the isolation (ROUSSEL, LAMBLIN, DEGAND, HAVEZ) 315
Carbohydrate content, of mucosal biopsies (BARTON, BROWN, CLAMP) 262
Case histories, of lactate dehydrogenase isoenzymes linked to immunoglobulin A (NAGAMINE) 139
Cellogel, lipid screening and lipoprotein electrophoresis (MESSERSCHMIDT, SEDEE) 51
Cellulose acetate, determination of alkaline phosphatase (BERGERMAN, BLETHEN) . 493
Ceruloplasmin crystals: another variant (TRIP, VAN DAM) 561
Cholestasis, phospholipids. Abnormal lipoproteins of fatty acid composition (PICARD, VEISSIERE, VOYER, BEREZIAT) 247
Cholinesterases, kinetic analysis, using a choline ester selective electrode (BAUM, WARD, YAVERBAUM) 405
Choline ester selective electrode for kinetic analysis of cholinesterase (BAUM, WARD, YAVERBAUM) 405
Chondroitin sulphate in the normal and rheumatoid synovial fluid (SEPPÄLÄ, KÄRKKÄINEN, LEHTONEN, MÄKISARA) 549
Chromatographic separation of urinary metanephrines and melanogens (VALLON, BADINAND, BICHON) 397
Chromatography, and screening tests for the detection of inborn errors of metabolism (STUBER) 309
Chronic myeloid leukemia, studies on the abnormal high binding capacity of blood (FISCHER) 409
—, renal failure, male subjects, testosterone and its binding in plasma (GUPTA, BUNDSCHU) 479
Clofibrate, effect on serum and faecal lipids (MITCHELL, MURCHISON) 153
Colorimetric method, for the measurement of serum glutamate dehydrogenase activity (JUNG) 231
—, procedure, improved, for urine oxalate (HODGKINSON, WILLIAMS) 127
Competitive protein binding, for evaluation of radio-isotope data in steroid assays (LECLERQ, TÄLJEDAL, WOLD) . . 254
Continuous flow analysis, analog device for curve degeneration (WALKER, TOWNSEND, KEANE) 119
CPK levels, in umbilical cord blood (SABATER, VILLALBA) 201
Creatine kinase, isoenzymes, in serum, a method for the quantitation (SOMER, KONTTINEN) 531
—, —, serum levels, the effect of pregnancy (KING, SPIKESMAN, EMERY) 267
—, phosphokinase isoenzymes, in human tissue with special reference to brain extract (MADSEN) 17
—, phosphokinase levels in umbilical cord blood (SABATER, VILLALBA) 201
Curve regeneration, analog device, in continuous flow analysis (WALKER, TOWNSEND, KEANE) 119
Cystic fibrosis, glycopeptides of bronchial fibrillar mucus (LAMBLIN, DEGAND, ROUSSEL, HAVEZ, HARTEMANN, FILLAT) 329
—, —, isolation of secreted bronchial mucins (ROUSSEL, LAMBLIN, DEGAND, HAVEZ) 315
—, —, of the pancreas patients, activities of some acid hydrolases in the skin (WILSON) 113
—, —, —, —, glycosaminoglycans in the skin (WILSON) 189
Cystine, aspartic acid, serine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (SABATER, FERRE, ANTICH) 279
Dehydroepiandrosterone excretion, and temperature, relation with seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity (HILGERTOVÁ, STRAKOVÁ, VRBOVÁ, GREGOROVÁ, ŠONKA, JOSÍFKO) . . 511
Detection method of drugs at therapeutic dosages in human urine using adsorption column chromatography and thin-layer chromatography (HETLAND, KNOWLTON, COURI) 473
Disc electrophoresis, of prostatic fluid. Relative mobility and molecular weight of some enzymes and proteins (ATANASOV, GIKOV) 213
Disc-electrophoretic patterns of human serum high density lipoproteins (UTERMANN) 521
Dissociation, of intestinal active transport, from $(Na^+ + K^+)$ATPase activity (GRACEY, BURKE, STORRIE, OSHIN) 555
Dodecylsulfate-polyacrylamide gel, electrophoresis of serum and its comparison with sedimentation velocity techniques (CHIGA, BREWER, LOPEZ-CORELLA, NOELKEN) 574
Edema fluids, presence of serum proteins (BOGDANOWSKI, GRABOWSKI) 351
EDTA, stabilization of a new unified Biuret reagent (GASBARRO, BANDINELLI, TOMASSINI) 275
Electrode, choline ester selective, for kinetic analysis of cholinesterases (BAUM, WARD, YAVERBAUM) 405
Electrophoresis, determination of alkaline phosphatase (BERGERMAN, BLETHEN) . 493
—, of serum in dodecylsulfate–polyacrylamide gel and its comparison with sedimentation velocity techniques (CHIGA, BREWER, LOPEZ-CORELLA, NOELKEN) 574
Erythrocyte glucose-6-phosphate activity,

human, seasonal variations in relation to temperature and dehydroepiandrosterone excretion (HILGERTOVÁ, STRAKOVÁ, VRBOVÁ, GREGOROVÁ, ŠONKA, JOSÍFKO) 511
—, a method for the determination of sodium, potassium, magnesium and lithium concentrations (FRAZER, SECUNDA, MENDELS) 499
Enzyme assays, spectrophotometric standardization (MARTINEK, JACOBS, HAMMER) 75
—, and proteins, relative mobility and molecular weight, by disc electrophoresis of prostatic fluid (ATANASOV, GIKOV) . 213
Enzymic methods, glucose determinations, the effect of two sulphonylureas (SHARP, RILEY, COOK, PINK) 93
Epileptic children under antiepileptic treatment, red cell glutamic oxalacetic transaminase activity (REINKEN, HOHENHAUER, ZIEGLER) 270
Epinephrine, norepinephrine and dopamine, determination in human urine, by fluorometry combined with thin-layer chromatography (TAKAHASHI, GJESSING) 369
Errors of metaboism, inborn, screening tests and chromatography for the detection (STUBER) 309
Erythropoietin determination, a sensitive bio-assay. A modification of the post-hypoxic polycythemic mice assay (WAGEMAKER, VAN EIJK, LEIJNSE) . 357
Esterase, acid stable, quantification in human gastric juice by single linear immunodiffusion (RAPP) 5
Faecal lipids, and serum, effect of clofibrate (MITCHELL, MURCHISON) 153
Fatty acid-containing stool fractions, a combined thin layer-gas chromatographic method for the analysis (MATTHYS, CHRISTOPHE, VERDONK) . . . 341
Fibrillar mucus, bronchial, glycopeptides, in cystic fibrosis (LAMBLIN, DEGAND, ROUSSEL, HAVEZ, HARTEMANN, FILLAT) 329
Fibrin crosslinking, assessment by gel electrophoresis, a precaution (FINLAYSON, MORTON) 254
Fibrinolytic activity in renal disease (ITO, NIWA, MATSUI) 145
Fingernails, human, survey analysis of trace elements by spark source mass spectrometry (HARRISON, CLEMENA) 485
Fluorometric method, combined with thin layer chromatography, for the determination of norepinephrine, epinephrine, and dopamine in human urine (TAKAHASHI, GJESSING) 369
—, procedure, automated, for histidine in blood (HILL, SUMMER, NEWTON) . . . 105
Gas chromatographic scheme, comprehensive, for the estimation of antiepileptic drugs (GARDNER-THORPE, PARSONAGE, SMETHURST, TOOTHILL) 223
Gas-liquid chromatography, for a rapid semi-automated method for the determination of urinary oestriol in late pregnancy (SMITH, STITCH) 439
—, and thin layer chromatographic determination of morphine in biologic specimens (WALLACE, BIGGS, BLUM) 85
Gastric juice, human, quantification of an acid stable esterase by single linear immunodiffusion (RAPP) 5
Gel electrophoresis, for assessing fibrin crosslinking, a precaution (FINLAYSON, MORTON) 254
Glucose determinations, by enzymic methods, the effect of two sulphonylureas (SHARP, RILEY, COOK, PINK) . 93
Glucose-6-phosphate activity, in human erythrocytes, seasonal variations in relation to temperature and dehydroepiandrosterone excretion (HILGERTOVÁ, STRAKOVÁ, VRBOVÁ, GREGOROVÁ, ŠONKA, JOSÍFKO 511
Glutamate dehydrogenase activity, in serum, measurement by a colorimetric method (JUNG) 231
Glycemia, pyruvicemia and lactacidemia, a new method for the automated simultaneous and continuous determination (GUISARD, GONAND, DEBRY) 281
Glycogen, lipids and proteins, determination in hepatic needle biopsy (BRIXOVÁ, DZÚRIKOVÁ) 543
Glycopeptides, of bronchial fibrillar mucus in cystic fibrosis (LAMBLIN, DEGAND, ROUSSEL, HAVEZ, HARTEMANN, FILLAT) 329
—, in urine and serum, and glycosaminoglycans in aspartylglucosaminuria (PALO, SAVOLAINEN) 431
Glycosaminoglycans, and serum and urinary glycopeptides in aspartylglucosaminuria (PALO, SAVOLAINEN) . . . 431
—, in the skin of patients with cystic fibrosis of the pancreas (WILSON) 189
Hb A_2 synthesis, the influence of malaria and the Hb S gene (Isaacs) 27
Hb S gene, and malaria, the influence on Hb A_2 synthesis (ISAACS) 27
Hepatic needle biopsy, determination of glycogen, lipids, and proteins (BRIXOVÁ, DZÚRIKOVÁ) 543
Histidine, in blood, automated fluorometric procedure (HILL, SUMMER, NEWTON) 105
High density lipoproteins, of human serum, disc-electrophoretic patterns (UTERMANN) 521
Homoprotocatechic acid, determination in urine by a radioisotopic method (COMOY, BOHUON) 207
Human muscle, dystrophic, acylation of lysolecithin with long-chain fatty acids

(KUNZE, OLTHOFF) 564
—, normal, acylation of lysolecithin with long-chain fatty acids (KUNZE, OLTHOFF) 564
Human skin, assay of lactate dehydrogenase, total activity and isoenzyme composition (UITTO, TURTO, LINDY) . . . 43
Hydrolysis, of a water-insoluble substrate incorporated into solidified medium by the enzyme α-amylase contained in normal human blood, serum and plasma (CESKA) 453
—, of a water-insoluble substrate incorporated into solidified agar medium by enzyme α-amylase contained in serum and urine of patients suffering from acute pancreatitis (CESKA) 463
Hyperlipoproteinemic patient, type V, a study (LOSSOW, LINDGREN, WEIZEL, WOOD) 33
IgM-L pyroglobulin, properties (TICHÝ, HRNCIR, HRKAL) 363
Immunoglobulin A, lactate dehydrogenase isoenzymes, in two cases (NAGAMINE) . 139
—, human serum, measurements of concentrations (ROWE et al.) 276
Intestinal active sugar transport, dissociation from $(Na^+ + K^+)$ATPase activity (GRACEY, BURKE, STORRIE, OSHIN) . 555
Isoenzyme composition and total activity of lactate dehydrogenase in human skin, assay (UITTO, TURTO, LINDY) . . 43
17-Ketosteroids, urinary, photonometric correction in the determination (MARGRAF, WISE, BALLINGER) 566
Lactacidemia, glycemia and pyruvicemia, a new method for the automated simultaneous and continuous determination (GUISARD, GONAND, DEBRY) 281
Lactate dehydrogenase, assay in human skin, total activity and isoenzyme composition (UITTO, TURTO, LINDY) . . . 43
—, —, isoenzymes, linked to immunoglobulin A in two cases (NAGAMINE) . . . 139
Laurell rocket immuno electrophoresis, a rapid determination of thyroxine-binding-globulin in human serum (NIELSEN, BUUS, WEEKE) 133
Linoleic acid and phytanic acid incorporation into plasma lipids in Refsum's disease (LAURELL, NILSÉN, NORDÉN) . . 169
Lipids, glycogen, and proteins, determination in hepatic needle biopsy (BRIXOVÁ, DZÚRIKOVÁ) 543
— peroxidation, serum inhibitor, and tocopherol relationship of serum antioxidative activity (VIDLÁKOVÁ, ERAZÍMOVA, HORKÝ, PLACER) 61
— screening, and lipoprotein electrophoresis by cellogel (MESSERSCHMIDT, SEDEE) 51
Lipoproteins, abnormal, of fatty acid composition. Phospholipids of cholestasis (PICARD, VEISSIERE, VOYER, BEREZIAT) 247
— electrophoresis, and lipid screening by cellogel (MESSERSCHMIDT, SEDEE) . . 51
— serum, the clinical application of an indirect method for the quantitation (BERENSON, SRINIVASAN, RADHAKRISHNAMURTHY, PARGAONKAR, DEUPREE) . 175
Lithium, sodium, potassium, magnesium, a method for the determination of concentrations in erythrocytes (FRAZER, SECUNDA, MENDELS) 499
Long-chain fatty acids, acylation of lysolecithin, by normal and dystrophic fatty acids (KUNZE, OLTHOFF) 564
LSD, determination in human plasma following oral administration (UPSHALL, WAILLING) 67
Lysolecithin, acylation with long-chain fatty acids by normal and dystrophic human muscle (KUNZE, OLTHOFF) . . 561
Lysosomal disorders, including leukodystrophy, quantitative studies on arylsulfatase A activity in human urine (THOMAS, HOWELL) 99
Magnesium, sodium, potassium, lithium, a method for the determination of concentration in erythrocytes (FRAZER, SECUNDA, MENDELS) 499
Malaria, and the Hb S gene, influence on Hb A_2 synthesis (ISAAC) 27
Male subjects, with chronic renal failure, testosterone and its binding in plasma (GUPTA, BUNDSCHU) 479
Melanogens, and metanephrines, urinary, chromatographic separation (VALLON, BADINAND, BICHON) 397
Metachromatic leukodystrophy patients, quantitative study on arylsulfatase A activity in human urine (THOMAS, HOWELL) 99
Metanephrines, and melanogens, urinary, chromatographic separation (VALLON, BADINAND, BICHON) 397
Method, indirect, the clinical application for quantitating serum lipoproteins (BERENSON, SRINIVASAN, LOPEZ-S., RADHAKRISHNAMURTHY, PARGAONKAR DEUPREE) 175
Micro-electrolytic iodination, of polypeptide hormones for radio-immunoassay (DONADEDIAN, LEVINE, SELIGSON) . . 517
Morphine, in biologic specimens, gas-liquid and thin-layer chromatographic determination (WALLACE, BIGGS, BLUM) . . 85
Mucosal biopsies, carbohydrate content (BARTON, BROWN, CLAMP) 262
Myeloma polypeptide chains, specific and unspecific recombination (WETTER) . . 284
$(Na^+ + K^+)$ATPase activity, dissociation of intestinal active sugar transport (GRACEY, BURKE, STORRIE, OSHIN) . 555
Ninhydrin-positive substances in serum and urine of patients with chronic uraemia (ADAM, DZÚRIK, VALOVICOVÁ) . . 241
Norepinephrine, epinephrine and dopa-

mine, determination in human urine, by fluorometry combined with thin-layer chromatography (TAKAHASHI, GJESSING) 369
OCT-activity, in serum, a simple method for preserving (ROMSLÖ) 264
Oestriol, urinary, a rapid semi-automated method for the determination in late pregnancy by gas-liquid chromatography (SMITH, STITCH) 439
Oxalate, urine, improved colorimetric procedure (HODGKINSON, WILLIAMS) . . 127
Oxytocinase (aminopeptidase), origin of activity in serum during pregnancy (GÖPFFARTH, ABRAHAM) 303
Pancreatitis patients, acute, serum and urine containing α-amylase for hydrolysis of a water insoluble substrate incorporated into solidified agar medium (CESKA) 463
Pepsinogen, serum, routine determinations (LOMBARTS, PETERS) 195
Phospholipids, of cholestasis, abnormal lipoproteins of fatty acid composition (PICARD, VEISSIERE, VOYER, BEREZIAT) 247
Photonometric correction in the determination of urinary 17-ketosteroids (MARGRAF, WISE, BALLINGER) 566
Phytanic acid, and linoleic acid incorporation into plasma lipids in Refsum's disease (LAURELL, NILSÉN, NORDÉN) . . 169
Plasma, binding of testosterone in male subjects with chronic renal failure (GUPTA, BUNDSCHU) 479
—, blood, serum, human, containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (CESKA) 453
—, human, determination of LSD following oral administration (UPSHALL, WAILLING) 67
—, Lipids, incorporation of phytanic and linoleic acid in Refsum's disease (LAURELL, NILSÉN, NORDÉN) 169
Polypeptide chains, myeloma, specific and unspecific recombination (WETTER) . . 284
—, hormones, micro-electrolytic iodination for radio-immunoassay (DONABEDIAN, SELIGSON) 517
Post-hypoxic polycythemic mice assay, a modification. A sensitive bio-assay for the determination of erythropoietin (WAGEMAKER, VAN EIJK, LEIJNSE) . 357
Potassium, sodium, magnesium, lithium, a method for the determination of concentrations in erythrocytes (FRAZER, SECUNDA, MENDELS) 499
Pregnancy, the effect on serum levels of creatine kinase (KING, SPIKESMAN, EMERY) 267
—, late, a rapid semi-automated method for the determination of urinary oestriol by gas-liquid chromatography (SMITH, STITCH) 439
—, origin of serum aminopeptidase activity (GÖPFFARTH, ABRAHAM) 303
Properdin level, estimation in normal adult human and in bilharziasis (KHAFAGI) . 287
Prostatic fluid, disc electrophoresis. Relative mobility and molecular weight of some enzymes and proteins (ATANASOV, GIKOV) 213
Proteins, and enzymes, relative mobility and molecular weight, by disc electrophoresis of prostatic fluid (ATANASOV, GIKOV) 213
—, glycogen and lipids, determination in hepatic needle biopsy (BRIXOVÁ, DZÚRIKOVA) 543
—, serum, present in edema fluids (BOGDANOWSKI, GRABOWSKI) 351
—, in urine, simple and rapid method for quantitative determination (HEMMINGSEN) 185
Pyroglobulin IgM-L, properties (TICHÝ, HRNCIR, HRKAL) 363
Pyruvate kinase, in cultivated amniotic fluid cells (KOSTER, STAAL, NIERMEYER) 572
Pyruvicemia, glycemia and lactacidemia, a new method for the automated simultaneous and continuous determination (GUISARD, GONAND, DEBRY) 281
Quantitation, of serum creatine kinase isoenzymes (SOMER, KONTTINEN) . . . 531
— of serum lipoproteins, clinical application of an indirect method (BERENSON, SRINIVASAN, LOPEZ-S., RADHAKRISHNAMURTHY, PARGAONKAR, DEUPREE) . 175
Quantitative, determination, of protein in urine, a simple and rapid method (HEMMINGSEN) 185
—, studies on arylsulfatase A activity in human urine, on patients with lysosomal disorders including metachromatic leukodystrophy (THOMAS, HOWELL) . 99
Radiogas chromatographic analysis, of sulfoconjugates of C-21-corticosteroid-metabolites in human urine (TAKEDA, NOTO, MURAKAMI) 163
Radio-immunoassay, micro-electrolytic iodination of polypeptide hormones (DONABEDIAN, SELIGSON) 517
Radio-isotope, data evaluation in steroid assays based on competitive protein binding (LECLERQ, TÄLJEDAL, WOLD) . 254
—, dilution for systematic investigation on the assay of vitamin B_{12} (BROMBACHER, GIJZEN, SOONS) 389
Radioisotopic method for the determination of protocatechic acid in urine (COMOY, BOHUON) 207
Rapid determination of thyroxine-binding-globulin in human serum by means of the Laurell rocket immunoelectrophoresis (NIELSEN, BUUS, WEEKE) . . . 133
Red cell glutamic oxalacetic transaminase

activity, in epileptic children under antiepileptic treatment (Reinken, Hohenhauer, Ziegler) 270
Refsum's disease, plasma lipids, incorporation of phytanic and linoleic acid (Laurell, Nilsén, Nordén) 169
Regression analysis, of serum protein levels (Phillips, Blackmore) 251
Renal disease, fibrinolytic activity (Ito, Niwa, Matsui) 145
Routine determinations, of serum pepsinogen (Lombarts, Peters) 195
Rubinstein Taybi's syndrome, three cases, abnormal levels of aspartic acid, serine, and cystine in the plasma (Sabater, Ferre, Antich) 279
Screening tests, and chromatography, for the detection of inborn errors of metabolism (Stuber) 309
Seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Šonka, Josífko) 511
Sedimentation velocity techniques, comparison with dodecyl-sulfate-polyacrylamidegel electrophoresis of serum (Chiga, Brewer, Lopez-Corella, Noelken) 574
Semi-automated method, rapid, for the determination of urinary oestriol in late pregnancy by gas-liquid chromatography (Smith, Stitch) 439
Serine, aspartic acid, cystine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 279
Serum, aminopeptidase (oxytocinase), origin of activity during pregnancy (Göpffarth, Abraham) 303
—, antioxidative activity, relationship to tocopherol and serum inhibitor of lipid peroxidation (Vidláková, Erazímová, Horký, Placer) 61
—, blood, plasma, human, containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 453
—, creatine kinase isoenzymes, a method allowing the quantitation (Somer, Konttinen) 531
—, electrophoresis in dodecylsulfate–polyacrylamide gel and its comparison with sedimentation velocity tecyniques (Chiga, Brewer, Lopez-Corella, Noelken) 574
—, and faecal lipids, effect of clofibrate (Mitchell, Murchison) 153
—, glutamate dehydrogenase activity, measurement by a colorimetric method (Jung) 231
—, human, high density lipoproteins, disc-electrophoretic patterns (Utermann) . 521
—, —, rapid determination of thyroxine-binding-globulin by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 133
—, immunoglobulins, human, measurements of concentrations (Rowe et al.) . 276
—, levels of creatine kinase, the effect of pregnancy (King, Spikesman, Emery) 267
—, lipoproteins, clinical application of an indirect method for the quantitation (Berenson, Srinivasan, Radhakrishnamurthy, Pargaonkar, Deupree) . 175
— OCT-activity, a simple method for preserving (Romslö) 264
— pepsinogen, routine determinations (Lombarts, Peters) 195
— protein levels, regression analysis (Phillips, Blackmore) 251
—, —, present in edema fluids (Bogdanowski) 351
—, and urinary glycopeptides and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 431
—, and urine, ninhydrin-positive substances, in patients with chronic uraemia (Adam, Dzúrik, Valovicová) . . 241
—, —, of patients suffering from acute pancreatitis containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 463
—, vitamin B_{12} assay, systematic investigation by radioisotope dilution (Brombacher, Gijzen, Soons) 389
Single linear immunodiffusion, the quantification of an acid stable esterase in human gastric juice (Rapp) 5
Skin, activities of some acid hydrolases in patients with cystic fibrosis of the pancreas (Wilson) 113
Skin, glycosaminoglycans of patients with cystic fibrosis of the pancreas (Wilson) . 189
Sodium, potassium, magnesium, and lithium, a method for the determinations of concentrations in erythrocytes (Frazer, Secunda, Mendels) 499
Spark source mass spectrometry, survey analysis of trace elements in human fingernails (Harrison, Clemena) . . . 485
Spectrophotometric standardization, of enzyme assays (Martinek, Jacobs, Hammer) 75
Standardization, of enzyme assays, spectrophotometric (Martinek, Jacobs, Hammer) 75
Sulfoconjugates of C-21-corticosteroid-metabolites in human urine, radiogas chromatographic analysis (Takeda, Noto, Murakami) 163
Sulphonylureas, two, effect on glucose determinations by enzymic methods (Sharp, Riley, Cook, Pink) 93
Synovial fluid, normal, and rheumatoid, chondroitin sulphate (Seppälä, Kärk-

KÄINEN, LEHTONEN, MÄKISARA) . . . 549
—, —, rheumatoid, and normal, chondroitin sulphate (SEPPÄLÄ, KÄRKKÄINEN, LEKTONEN, MÄKISARA) 549
Temperature, and dehydroepiandrosterone excretion, relation with seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity (HILGERTOVÁ, ŠTRAKOVÁ, VRBOVÁ, GREGOROVÁ, ŠONKA, JOSÍFKO). . . . 511
Testosterone, and its binding in the plasma of male subjects with chronic renal failure (GUPTA, BUNDSCHU) 479
Tetracycline assay, simplified (WILSON, LEVER, BROSNAN, STILLWELL). . . . 260
Therapeutic dosages of drugs, detection method in human urine using adsorption column chromatography and thin-layer chromatography (HETLAND, KNOWLTON, COURI) 473
Thin-layer chromatography, and adsorption column chromatography for a method for the detection of drugs at therapeutic dosages in human urine (HETLAND, KNOWLTON, COURI) . . . 473
—, —, combined with fluorometry, for the determination of norepinephrine, epinephrine and dopamine in human urine (TAKAHASHI, GJESSING). 369
—, gas chromatography, combined for the analysis of fatty acid-containing stool fractions (MATTHYS, CHRISTOPHE, VERDONK) 341
—, and gas-liquid chromatographic determination of morphine in biologic specimens (WALLACE, BIGGS, BLUM) . . . 85
Thyroxine-binding-globulin, rapid determination in human serum by means of the Laurell rocket immunoelectrophoresis (NIELSEN, BUUS, WEEKE) . . . 133
Tissue, human, creatine phosphokinase isoenzymes, with special reference to brain extract (MADSEN). 17
Tocopherol, and serum inhibitor, of lipid peroxidation, relationship of serum antioxidative activity (VIDLÁKOVÁ, ERAZÍMOVA, HORKÝ, PLACER). 61
Total activity and isoenzyme composition of lactate dehydrogenase in human skin, assay (UITTO, TURTO, LINDY). . 43
—, iron, binding capacity, a modified method for the determination (VAN DER WAL) 570
Trace elements, survey analysis in human fingernails by spark source mass spectrometry (HARRISON, CLEMENA). . . 485
Triiodothyronine, chemical determination in blood serum (SCHREIBER, ORTNER, SPITZY). 379
Umbilical cord blood, CPK levels (SABATER, VILLALBA) 201
Uraemia, chronic patients, ninhydrin-positive substances in serum and urine (ADAM, DZÚRIK, VALOVICOVÁ) . . . 241
Urinary oestriol, a rapid semi-automated method for the determination in late pregnancy by gas-liquid chromatography (SMITH, STITCH). 439
Urine, determination of alanyl-peptide hydrolase (PETERS, SCHNEIDER, HASCHEN) 289
—, determination of homoprotocatechic acid by a radioisotopic method (COMOY, BOHUON) 207
—, human, arylsulphatase A activity: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy (THOMAS, HOWELL) 99
—, —, detection method of drugs at therapeutic dosages using adsorption column chromatography and thin-layer chromatography (HETLAND, KNOWLTON, COURI). 473
—, —, radiogas chromatographic analysis of sulfoconjugates of C-21-corticosteroid-metabolites (TAKEDA, NOTO, MURAKAMI) 163
—, metanephrines and melanogens, chromatographic separation (VALLON, BADINAND, BICHON) 397
—, oxalate, improved colorimetric procedure (HODGKINSON, WILLIAMS) . . . 127
—, protein, simple and rapid method for quantitative determination (HEMMINGSON) 185
—, and serum glycopeptides and glycosaminoglycans in aspartylglucosaminuria (PALO, SAVOLAINEN) 431
—, and serum, ninhydrin-positive substances, in patients with chronic uraemia (ADAM, DZÚRIK, VALOVICOVÁ). . . . 241
—, —, of patients suffering from acute pancreatitis containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (CESKA) 463
Vitamin B_{12}, abnormal high binding capacity of blood in chronic myeloid leukemia (FISCHER) 409
—, —, assay in serum, systematic investigation by radioisotope dilution (BROMBACHER, GIJZEN, SOONS) . . . 389
Water-insoluble substrate, incorporated into solidified agar medium hydrolysis by enzyme α-amylase contained in serum and urine of patients suffering from acute pancreatitis (CESKA) . . . 463
—, —, incorporated into solidified medium by the enzyme α-amylase contained in normal hyman blood, serum and plasma (CESKA) 453

BLANK
PAGE